

Status of Compliance-Environmental Clearance (April- September 2025)
Environmental Clearance No. IA-J-11011/199/2020-IA-II (IND-I) Dated:
19.07.2023 Meenakshi Udyog (India) Pvt Ltd

A.	Specific Condition	
Sl.NO	Conditions	Status of Compliance
1.	The project proponent shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	Condition are being complied. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project have been implemented.
2.	The project proponent shall utilize modern technologies for capturing of carbon emitted and shall also develop carbon sink/carbon sequestration resources capable of capturing more than emitted. The implementation report shall be submitted to the IRO, MoEF&CC in this regard.	Being Complied Low emitting induction furnace is installed. Carbon sequestration is planned through greenbelt and plantations.
3.	The nearest habitation is Malugundapalli at a distance of 1.19 km in WNW direction of the project site. Project Proponent shall take appropriate environmental safeguard measures to minimise the impact on the habitation of the locals. PP needs to strengthen green belt all around the plant area to reduce the dust pollution. The PP shall also include this location in its environmental monitoring programme.	Being Complied. Additional plantation will be planted in villages as well as inside the plant. The company will be rendering the required support for the village. We have developed the greenbelt with a width of 3 m all along the project boundary to reduce the dust pollution. The measured PM _{2.5&10} , SO ₂ , NO _x are in the range of 21, 59, 13 and 25 respectively.
4.	Uliveeranahally Kere is at a distance of 0.84 km in NW of the project site. Also, there are other water bodies such as lakes, ponds are within the study area of 10 km of the project site. A robust and full proof Drainage Conservation scheme to protect the natural drainage and its flow parameters; along with Soil conservation scheme and multiple Erosion control measures shall be implemented.	Being complied. Storm water drainage is provided in our unit and the runoff water is stored in a RCC tank with a capacity of 550 m3 tank for industrial use. In order to control the velocity minimum slope is provided to match with invert level to match with soil erosion. A robust and full proof Drainage Conservation scheme to protect the natural drainage and its flow parameters; along with Soil conservation scheme and multiple Erosion control measures will be implemented.
5.	The water requirement of 125 m3/day shall be obtained from Panchayat (Fresh water - 25 m3/day) and the remaining from the recycling (100 m3/day) after obtaining necessary permission from the Competent Authority, afresh. The existing	Complied. Water supply approval letter from Panchayat is attached as Annexure-I . Ground water is not extracted.





	approval is 9 years old. No ground water extraction is permitted.	
6.	Three tier Green Belt shall be developed in at least 33% of the project area in a time period of 1 year with native species all along the periphery of the project site of adequate width and tree density shall not be less than 2500 per ha. Survival rate of green belt developed shall be monitored on periodic basis to ensure that damaged plants are replaced with new plants in the subsequent years. PP shall also develop greenbelt in the form of shelter belt comprising of total of 6 rows of 2x2 m plantation with tall trees & broad leaves with thick canopy along with windshield inside the plant premises to act as green barrier for air pollution & noise levels towards Malugundapalli Villages. Compliance status in this regard, shall be submitted to concerned Regional Office of the MoEF&CC.	Complied. Green Belt is provided for a width of 3m all along the periphery of the project boundary. The Land Area allocated for Greenbelt development is 1.65 ha, which is 33 % of the total land area. Greenbelt photographs is attached as Annexure-II .
7.	All the commitments made towards socio-economic development of the nearby villages shall be satisfactorily implemented. The action plan based on the social impact assessment study of the project as per the EMP in accordance to the Ministry's OM dated 30.09.2020 amounting to Rs. 45 Lakhs shall be strictly implemented and progress shall be submitted to the Regional Office of MoEF&CC.	Complied. All the commitments made towards socio-economic development of the nearby villages has been satisfactorily implemented in the nearby villages. 1. Laying of road network to local village- Rs. 7,37,500 2. Provided drinking water facility with a capacity of 500 LPH to Kappakal Village - Rs. 2, 10, 000. 3. New Desk and benches provided to PUP school, Kalukondapally village- Rs. 3,77,600 4. Provided E-Auto for village students -Rs. 2, 25,000. 5. Provided LED light for Bettadhamma Temple- Rs. 1, 74,474. 6. Provided MS Barricade for Police Station- Rs. 1, 30, 980. 7. Provided Overhead tank for Kappakal Village- Rs. 4, 36, 667 8. Donated formal racing and Chess Olympiad Sponsorship- Rs. 5, 50, 000. Photographs is attached as Annexure-III .
8.	The PP shall improve the housekeeping at the project site and implement the activities such as dust control mechanism, vacuum cleaning facilities, adequate internal drainage to avoid water logging, internal road maintenance with	Complied. Good housekeeping is maintained in our unit. Dust control measures for road maintenance and storm water drainage is provided to avoid water logging in the unit.



	paved/concrete, waste yard upkeep, and adequate lighting etc. The PP shall conduct regular internal audit on these aspect for better housekeeping in the Unit. The implementation Report needs to be submitted to the IRO, MoEFCC.	
9.	The PP shall adopt undertake village adoption programme, prepare and implement the action plan to develop them into model villages.	Complied. E-auto, LED lights are provided to the nearby villages.

B	General Conditions	
Sl.NO.	Conditions	Status of Compliance
Statutory Compliance		
1.	The Environment Clearance (EC) granted to the project/ activity is strictly under the provisions of the EIA Notification, 2006 and its amendments issued from time to time. It does not tantamount/ construe to approvals/ consent/ permissions etc., required to be obtained or standards/conditions to be followed under any other Acts/Rules/Subordinate legislations, etc., as may be applicable to the project.	Agreed to comply. This condition is noted and assured to abide by this condition.
2.	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Agreed to comply.
II.	Air quality monitoring and preservation	
1.	The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission as well as 02 Nos. Continuous Ambient Air Quality Station (CAAQMS) for monitoring AAQ parameters with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time. The CEMS and CAAQMS shall be connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Complied. We have installed 24x7 continuous emission monitoring system at process stacks to monitor stack emission and CAAQMS for monitoring AAQ parameters with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time. Photographs is attached as Annexure-IV .
2.	The project proponent shall carryout Continuous Ambient Air Quality monitoring for common/criterion	Complied. Continuous Ambient Air Quality monitoring test reports is attached as



	parameters relevant to the main pollutants released (e.g. PM10 and PM2.5 in reference to PM emission, and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the plant area (at least at four locations one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions.	Annexure-V.
3.	The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Being Complied. Mist sprinklers are given in the storage area. Plant roads are wetted by sprinkler lorry. Fugitive emission test reports from TNPCB is attached as Annexure-VI.
4.	Sampling facility at process stacks shall be provided as per CPCB guidelines for manual monitoring of emissions.	Complied. Sampling facility at process stacks is provided as per CPCB guidelines for manual monitoring of emissions.
5.	Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.	Complied. Induction furnace is provided with suction hood and bag filters with stack and DG set is provided with acoustic enclosures with stack.
6.	The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.	Complied. We have provided leak detection system and mechanized bag cleaning facilities for better maintenance of bags.
7.	Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.	Being Complied. Vacuum cleaners are being procured. Automatic water sprinklers is provided in our unit to clean roads and floors.
8.	Ensure covered transportation and conveying of raw material to prevent spillage and dust generation. The project proponent use leak proof trucks/dumpers carrying coal and other raw materials and cover them with tarpaulin.	Complied. Transportation of raw materials is covered with tarpaulin to avoid spillage and dust generation.
9.	The project proponent shall provide primary and secondary fume extraction system at all heat treatment furnaces.	Complied. We have provided primary and secondary fume extraction system at all heating furnaces.
10.	Wind shelter fence and chemical spraying shall be provided on the raw material stock piles.	Being Complied. Wind shelter fence is provided and spraying of chemicals will be provided on the raw material stock piles.
11.	Design the ventilation system for adequate air changes as per prevailing norms for all tunnels, motor houses, Oil	We have designed the ventilation system for adequate air changes as per prevailing norms for all tunnels, motor houses, Oil



	Cellars	Cellars.
12.	Pollution control system in the plant shall be provided as per the CREP Guidelines of CPCB	Complied. As individual Swiveling hood arrangements is installed to collect the fugitive emission.
13.	The project proponent shall adopt the Clean Air practices like mechanical collectors, wet scrubbers, fabric filters (bag houses), electrostatic precipitators, combustion systems (thermal oxidizers), condensers, absorbers and biological degradation. Controlling emissions related to transportation shall include emission controls on vehicles as well as use of cleaner fuels. Sufficient numbers of additional truck mounted Fog/Mist water cannons shall be procured and operated regularly inside the project premises and also in the surrounding villages to arrest suspended dust in the atmosphere.	Complied. We have provided suction hood and bag filters with stack for furnace to reduce air emission. Water sprinklers is provided to reduce fugitive dust emission in the premises. Related to transportation wheel washing is provided. Spark arrestor, Bag filter (made of Polyester, Polypropylene, Polyamide and Acrylic), ID Fan with Motor and 30m stack is provided as APC measures.
14.	Bag filters shall be cleaned regularly and efficiency of bag filter system shall be monitored at regular intervals.	Complied. Bag filters has been cleaned regularly and efficiency of bag filter system has been monitored at regular intervals.
15.	Water Sprinklers/Water mist system shall be installed near raw material yards, operational units and other strategic locations to control fugitive emissions from the plant.	Complied. Water Sprinklers is installed in the raw material yards, roads to control fugitive emissions from the plant.
16.	The particulate matter emissions from the process stacks shall be less than 30 mg/Nm ³ and measures shall be undertaken as per the submitted action plan. Efficient Air monitoring equipment shall be installed.	Complied. CAAQMS and OCEMS is installed in our unit to monitor the PM emissions and the data is connected to the PCB server. Bag filters are installed in the plant for PM control
17.	Following additional arrangements to control fugitive dust shall be provided: a. Fog / Mist Sprinklers at all on bulk raw material storage area (at the transfer points) like Iron Ore, Coal and for Fly Ash and similar solid waste storage areas. b. Proper covered vehicle shall be used while transport of materials. c. Wheel washing mechanism shall be provided in entry and exit gates with complete recirculation system.	Complied. a. Mist sprinklers is installed in raw material storage area and solid waste storage areas to reduce emission. Photographs is attached as Annexure-VI . b. Covered vehicles is used for transportation of materials. c. Wheel washing mechanism is provided in entry and exit gates with complete recirculation system. Photographs is attached as Annexure-VII .
18.	Online stack monitoring system for IF and RHF shall be installed and monitoring report shall be submitted to the concerned Regional Office of the	Complied. Online stack monitoring system for IF and RHF is installed and the same is connected to TNPCB server. Photographs is attached


AKL



	MoEF & CC along with the six monthly compliance report.	as Annexure-IV.
19.	Low NOx Burners will be installed at Reheating Furnace for control of Gaseous emissions generated while using PNG.	Hot Charging system is installed instead of reheating furnace.
III. Water quality monitoring and preservation		
1.	The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Being procured. Will be implemented within a period of three months.
2.	The project proponent shall monitor regularly ground water quality at least twice a year (pre and post-monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.	Complied. We have regularly monitored the ground water quality in our plant and the nearby areas through NABL accredited labs. Ground water test reports is attached as Annexure-VIII.
3.	Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.	Condition being followed. Will be implemented within a period of six months.
4.	Water meters shall be provided at the inlet to all unit processes in the plants	Being Complied. Water meters is provided at one place. However each unit will be installed.
5.	The project proponent shall make efforts to minimise water consumption in the plant complex by segregation of used water, practicing cascade use and by recycling treated water.	Complied. We have taken steps to reduce water consumption by reusing the treated water from the unit.
6.	The proposed project shall be designed as "Zero Liquid Discharge" Plant. ETP shall be installed and there shall be no discharge of effluent from the plant. Domestic effluent shall be treated in Sewage Treatment Plant. Suitable measures shall be adopted for sewage water handling to ensure no contamination of any kind of water body.	Complied. ETP water is fully reused in the process. Domestic effluent is treated in Sewage Treatment Plant of 10 KLD and the treated water is used for greenbelt development.
7.	All stockyards shall have impervious flooring and shall be equipped with	Being Complied. All stockyards have impervious concrete




	water spray system for dust suppression. Stock yards shall also have garland drains and catch pits to trap the run off material and shall be implemented as per the action plan submitted in EIA/EMP report.	flooring and provided with water spray system for dust suppression. Garland drains and catch pits will be implemented within a period of six months.
8.	Rain water harvesting shall be implemented to recharge/harvest water as per the action plan submitted in the EIA/EMP report.	Complied. We have provided 2 Nos of rainwater underground storage tank at site with total capacity of 550 m3.
IV. Noise monitoring and prevention		
1	Noise pollution shall be monitored as per the prescribed Noise Pollution (Regulation and Control) Rules, 2000 and amendments thereof, and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.	Complied. Noise pollution has been monitored as per the prescribed Noise Pollution (Regulation and Control) Rules, 2000 and amendments thereof. Test reports is attached as Annexure- V.
2	The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB (A) during day time and 70 dB(A) during night time.	Appropriate noise barriers/shields are provided on the equipment's like motors, compressors etc. and a thick green belt is provided to attenuate the noise. The ambient noise levels conform the standards prescribed under E(P)A Rules, 1986 viz. 75 dB (A) during day time and 70 dB(A) during night time.
V. Energy Conservation measures		
1	Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly;	Solar panels has been provided in the roof the buildings. Solar Panel and LED lights Photograph is attached as Annexure-IX.
2	Provide LED lights in their offices and residential areas.	LED lights has provided in the office and township areas.
3	The project proponent shall provide waste heat recovery system (pre-heating of combustion air) at the flue gases of reheating furnaces.	We have installed the system of Hot Charging instead of reheating the billets.
4	Practice hot charging of slabs and billets/blooms as far as possible.	We have installed the system of Hot Charging instead of reheating the billets.
5	Ensure installation of regenerative type burners on all reheating furnaces.	We have installed the system of Hot Charging instead of reheating the billets.
VI. Waste management		
1	Oil Collection pits shall be provided in oil cellars to collect and reuse/recycle spilled oil.	We have provided oil collection pit in oil cellars to collect and reuse/recycle spilled oil.
2	Kitchen waste shall be composted or converted to biogas for further use.	Domestic wastes including kitchen waste are regularly collected in bins or waste handling receptacles and disposed as per the solid waste Management Rules, 2016.
3	100% utilization of fly ash shall be ensured. All the fly ash shall be provided	Not applicable. We have use the Electrical induction



	to cement and brick manufacturers for further utilization and Memorandum of Understanding in this regard shall be submitted to the Ministry's Regional Office.	furnace for our process. No fly ash generated from this mill.
4	The Plastic Waste Management Rules 2016, inter-alia, mandated banning of identified Single Use Plastic (SUP) items with effect from 01/07/2022. In this regard, CPCB has issued a direction to all the State Pollution Control Boards (SPCBs)/Pollution Control Committees (PCCs) on 30/06/2022 to ensure the compliance of Notification published by Ministry on 12/08/2021. The technical guidelines issued by the CPCB in this regard is available at https://cpcb.nic.in/technical-guidelines-3/ . All the project proponents are hereby requested to sensitize and create awareness among people working within the Project area as well as its surrounding area on the ban of SUP in order to ensure the compliance of Notification published by this Ministry on 12/08/2021. A report, along with photographs, on the measures taken shall also be included in the six monthly compliance report being submitted by the project proponents.	Complied. We are not using any SUP plastics in our unit. Regular awareness has been provided to workers for ban on single use plastic.
5	A proper action plan must be implemented to dispose of the electronic waste generated in the industry.	Condition being complied. At present no E-waste is generating from our unit.
6	Solid waste utilization a. PP shall install a slag crusher to convert steel slag into aggregate for use in construction industry, fine sand for use as flux in steel plant, sand in brick making and as lime in cement making. b. PP shall recycle/reuse solid waste generated in the plant as far as possible. c. Used refractories shall be recycled as far as possible.	Condition being followed. a. We have installed slag crusher to convert steel slag into aggregate for use in construction industry, fine sand for use as flux in steel plant, sand in brick making and as lime in cement making. b. Solid waste generated within plant site will be utilized for filling low lying in the project site, biodegradable waste will be treated and the compost will be used as manure for developing green belt. c. Refractories are recycled in the slag crusher.
VII. Green Belt		
1	The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for	Complied. About 1500 nos. of various varieties of trees and short trees are planted in the project



	reduction of the same including carbon sequestration by trees.	site which is sufficient to reduce carbon emission of estimated as 11.89 TPA tco2.
2	Project proponent shall submit a study report on Decarbonisation program, which would essentially consist of company's carbon emissions, carbon budgeting/ balancing, carbon sequestration activities and carbon capture, use and storage and offsetting strategies. Further, the report shall also contain time bound action plan to reduce its carbon intensity of its operations and supply chains, energy transition pathway from fossil fuels to Renewable energy etc. All these activities/ assessments should be measurable and monitor able with defined time frames.	Will be complied.
3	Greening and Paving shall be implemented in the plant area to arrest soil erosion and dust pollution from exposed soil surface.	Being Complied. Greenbelt and pavement has been provided in the plant area to reduce soil erosion and dust pollution.
VIII Public hearing and Human health issues		
1	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Complied. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan has been implemented.
2	The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms.	Complied. Regular health checkups has been conducted to workers and PPE has provided to workers.
3	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP. Safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Complied. During construction phase, Provision has been made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP. Right now, we are in the operating phase of the unit.
4	Occupational health surveillance of the workers shall be done on a regular basis and records maintained.	Complied. Occupational health surveillance of the workers has been done on a regular basis. Health surveillance photographs is attached as Annexure-X .
IX Environment Management		
1	The project proponent shall comply with the provisions contained in this Ministry's OM vide F. No. 22-65/2017-IA.III dated 30/09/2020. As part of Corporate Environment Responsibility	All the commitments made towards socio-economic development of the nearby villages has been satisfactorily implemented in the nearby villages. 1.Laying of road network to local village-



	(CER) activity, company shall adopt nearby villages based on the socio-economic survey and undertake community developmental activities in consultation with the village Panchayat and the District Administration as committed.	Rs. 7,37,500 2. Provided drinking water facility with a capacity of 500 LPH to Kappakal Village - Rs. 2, 10, 000. 3. New Desk and benches provided to PUP school, Kalukondapally village- Rs. 3,77,600 4. Provided E-Auto for village students -Rs. 2, 25,000. 5. Provided LED light for Bettadhamma Temple- Rs. 1, 74,474. 6. Provided MS Barricade for Police Station- Rs. 1, 30, 980. 7. Provided Overhead tank for Kappakal Village- Rs. 4, 36, 667 8. Donated formal racing and Chess Olympiad Sponsorship- Rs. 5, 50, 000. Photographs is attached as Annexure-III .
2	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/ violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	Being Complied. Environmental policy duly approved by the Board of Directors will be implemented.
3	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.	Complied. Environmental management cell organogram is attached as Annexure-XI .
4	Performance test shall be conducted on all pollution control systems every year and report shall be submitted to Integrated Regional Office of the MoEF&CC.	Agreed to comply. Performance test will be conducted on all pollution control systems.
X.	Miscellaneous	
1.	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and	Complied. Newspaper advertisement of English and Tamil is attached as Annexure-XII .



	safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.	
2.	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	Complied. The copies of the environmental clearance is submitted to the Heads of local bodies, Panchayats and Municipal Bodies.
3.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	Will be complied. We will upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on our website.
4.	The project proponent shall monitor the criteria pollutants level namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.	Being Complied. Monitoring of criteria pollutants level namely; PM10, SO2, NOx (ambient levels as well as stack emissions) is being carried out through TNPCB on half yearly basis.
5.	Action plan for developing connecting and internal road in terms of MSA as per IRC guidelines shall be implemented	Condition being complied. Action plan for developing connecting and internal road in terms of MSA as per IRC guidelines will be implemented
6.	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	Will be complied..
7.	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Agreed to comply. We will submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986.
8.	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final	Condition being complied.



	approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	
9.	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	Agreed to comply.
10.	The recommendations of the approved Site-Specific Wildlife Management Plan (in case of involvement of Schedule-I species) shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report to the concerned Regional Office of the MoEF&CC.	There is no Schedule-I species involved in the project area.
11.	The PP shall put all the environment related expenditure, expenditure related to Action Plan on the PH issues, and other commitments made in the EIA/EMP Report etc. in the company web site for the information to public/public domain. The PP shall also put the information on the left over funds allocated to EMP and PH as committed in the earlier ECs and shall be carried out and spent in next three years, in the company web site for the information to public/public domain.	Agreed to comply.
12.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	Agreed to comply. No further expansion or modifications in the plant will be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
13.	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.	Agreed to comply. We will give our full cooperation to the inspecting officers.
14.	The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or	Agreed to comply.



	suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.	
15.	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.	Agreed to comply.
16.	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Agreed to comply.
17.	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.	Agreed to comply.
18.	This issues with approval of the competent authority.	Agreed to comply.

For MEENAKSHI UDYOG (INDIA) PVT. LTD.

Authorised Signatory



[Handwritten signature]